

## **Effect of Music on Gene Expression and Epigenetic Regulation: An Integrated Study Using Bioinformatics, Forensic Psychology and Musicology**

Dr. V. K. Singh, Information Officer, Centre for Bioinformatics, School of Biotechnology, Institute of Science, Banaras Hindu University, Varanasi, Uttar Pradesh 221005

### **Abstract**

Music is an important part of human life. It can affect our emotions, memory, thinking, stress, and behaviour. Scientists are also interested in understanding whether these effects can influence biological processes inside the body. Music does not normally change the actual DNA sequence. However, it may influence how some genes work or how strongly they are expressed. This area can be studied using molecular biology and bioinformatics. Bioinformatics helps scientists analyse large amounts of biological information such as DNA, RNA, and gene-expression data. Forensic psychology helps us understand how people respond to music emotionally and mentally. Musicology helps us understand the characteristics of music, such as rhythm, melody, harmony, tempo, and structure. By combining these three areas, researchers can study how different types of music may influence psychological, physiological, and molecular responses.

### **Proposed Keywords**

Music; DNA; gene expression; epigenetics; bioinformatics; forensic psychology; forensic musicology; stress; neuroscience; transcriptomics; DNA methylation; music perception.

### **1. Introduction**

Music is more than just sound. It can make people happy, relaxed, excited, emotional, or even nostalgic. People often use music to reduce stress, improve mood, concentrate, exercise, or remember important events. When we listen to music, our ears send signals to the brain. The brain processes these signals and produces different emotional and physiological responses. These responses can affect heart rate, breathing, hormones, and stress levels. Scientists are now interested in understanding whether these changes can also influence activities inside cells. This creates a connection between music, psychology, biology, and bioinformatics.

### **2. Does Music Change DNA?**

It is important to understand that music does not normally change the DNA sequence itself. DNA contains the genetic information of our body. Listening to music does not normally change the letters of DNA, such as A, T, G, and C. Instead, music may influence gene activity. This means that some genes may become more or less active depending on changes occurring inside the

body. Therefore, it is better to say: Music may influence gene expression rather than directly changing DNA. This difference is very important in scientific research.

### **3. What is Gene Expression?**

Genes contain instructions used by cells to make RNA and proteins. The process by which information from genes is used is called gene expression. Not all genes are active at the same time. Some genes are more active under certain conditions, while others are less active. For example, stress, exercise, food, sleep, disease, and environmental conditions can affect gene activity. Music may also influence some of these conditions indirectly by changing stress, emotions, hormones, and brain activity.

### **4. How Can Music Affect Gene Activity?**

The possible pathway can be explained simply: Music → Brain → Emotions → Body response → Hormones and cell signals → Gene activity. When a person listens to relaxing music, they may feel less stressed. This may influence hormones and other biological signals. These signals can affect cells and may influence the activity of certain genes. However, researchers need carefully controlled experiments to determine exactly which genes are affected and under what conditions.

### **5. Music and the Brain**

The brain plays an important role in our response to music. When we listen to music, several areas of the brain become involved in hearing, emotion, memory, attention, and reward. A familiar song may bring back memories. A fast song may increase excitement, while slow or calming music may make a person feel relaxed. Therefore, the effect of music is not only caused by sound. It is also affected by how the brain understands and interprets the music.

### **6. Music and Emotions**

Music can produce different emotional responses. For example: Slow music may produce relaxation. Fast music may increase excitement. Familiar music may produce memories. Sad music may produce feelings of sadness or nostalgia. Favorite music may produce pleasure. These emotional responses can influence the body's physiological condition.

### **7. Music and Stress**

Stress is one of the most important areas for studying the biological effects of music. When a person experiences stress, the body releases hormones such as cortisol. Long-term stress can

affect many biological systems. Relaxing music may help some people reduce stress and feel calm. If stress levels change, the activity of biological pathways inside the body may also change. This provides a possible connection between music and gene expression. The important point is that music may influence genes indirectly through changes in stress and physiology.

## **8. Role of Forensic Psychology**

Forensic psychology studies human behaviour and psychological processes in relation to legal and investigative situations. In this topic, forensic psychology can help us understand how people react to music. Different people may respond differently to the same song. One person may find a song relaxing, while another person may find it irritating. This difference can occur because of personality, memory, culture, previous experiences, and personal preference. Therefore, psychological factors should be considered when studying the biological effects of music.

## **9. Music and Memory**

Music has a strong connection with memory. A particular song may remind someone of childhood, family, school, relationships, festivals, or other important experiences. When a memory is activated, it can also produce an emotional response. Therefore, the possible pathway may be: Music → Memory → Emotion → Physiological response → Biological changes. This is an important area where psychology and music research can work together.

## **10. Music and Individual Differences**

Every person responds to music differently. The response may depend on:

1. Age;
2. Personality;
3. Musical training;
4. Culture;
5. Previous experience;
6. Mood;
7. Stress level;
8. Personal preference; and
9. Familiarity with the music.

For this reason, a research study should not assume that the same music will produce the same biological response in everyone.

## **11. What is Epigenetics?**

Epigenetics is the study of changes that influence gene activity without changing the basic DNA sequence. In simple words: DNA is the instruction book, while epigenetic mechanisms can influence which instructions are being used. Important epigenetic mechanisms include DNA methylation and changes in proteins associated with DNA. Environmental factors can influence epigenetic processes. Researchers are therefore interested in whether experiences such as stress, diet, exercise, and possibly music can influence epigenetic regulation. However, more research is required before making strong conclusions about music-induced epigenetic changes.

## **12. DNA Methylation**

DNA methylation is one of the important mechanisms involved in gene regulation. A small chemical group called a methyl group can attach to DNA. Depending on its location and biological context, this can influence whether a gene is more or less active. Researchers can measure DNA methylation and compare it between different experimental conditions. For example, they could compare people before and after a controlled music intervention.

## **13. Role of Bioinformatics**

Bioinformatics is the use of computers, mathematics, statistics, and biology to study biological data. If researchers collect gene-expression or DNA-methylation data from people exposed to music, the amount of data can be extremely large. Bioinformatics helps researchers:

1. Organize the data;
2. Remove poor-quality data;
3. Identify differences;
4. Compare groups;
5. Find important genes;
6. Identify biological pathways; and
7. Create graphs and biological networks.

Therefore, bioinformatics is an important tool for studying the possible molecular effects of music.

## **14. Gene-Expression Analysis**

Researchers can compare gene activity between two or more groups. GEO Datasets For example:

1. Music elicits different gene expression responses in the buccal cavity of age-related cognitive disorders patients and healthy controls. (Submitter supplied) Recent evidence suggests that external stimuli can shape transcriptomes (sensogenomics). Specifically, the analysis of capillary blood samples has shown that musical stimuli can modulate gene expression patterns, in healthy

individuals but also in those with age-related cognitive disorders (ACD), based on. Here, we present groundbreaking evidence indicating that brief exposure to music can also impact the salivary transcriptome in both healthy donors and ACD patients.

Organism: Homo sapiens; Type: Expression profiling by array; Platform: GPL34537 48 Samples; FTP download: GEO (RCC, TXT) ftp://ftp.ncbi.nlm.nih.gov/geo/series/GSE268nnn/GSE268683/; Series Accession: GSE268683 ID: 200268683.

2. Music compensates for altered gene expression in age-related cognitive disorders (Submitter supplied) Extensive literature has explored the beneficial effects of music in age-related cognitive disorders (ACD), but limited knowledge exists regarding its impact on gene expression. We analyzed transcriptomes of ACD patients and healthy controls, pre-post a music session (n=60), and main genes/pathways were compared to those dysregulated in mild cognitive impairment (MCI) and Alzheimer's disease (AD) as revealed by a multi-cohort study (n=1269 MCI/AD and controls).

Organism: Homo sapiens; Type: Expression profiling by high throughput sequencing; Platform: GPL24676 60 Samples; FTP download: GEO (TXT) ftp://ftp.ncbi.nlm.nih.gov/geo/series/GSE239nnn/GSE239282/; Series Accession: GSE239282 ID: 200239282

The researchers can then determine whether certain genes show different activity between the groups. This type of research is called differential gene-expression analysis.

## 15. RNA Sequencing

RNA sequencing is one method that can be used to study gene activity. Researchers collect biological samples and analyse RNA molecules. The resulting data can provide information about which genes are active and how strongly they are expressed. Bioinformatics software is then used to process and interpret the sequencing data. A simplified process is: Sample → RNA extraction → Sequencing → Computer analysis → Gene-expression results

## 16. Pathway Analysis

Finding one changed gene may not tell the complete story. Researchers can examine groups of genes that work together in biological pathways. For example, the analysis may identify pathways related to:

1. Stress;

2. Inflammation;
3. Nervous-system activity;
4. Immune response;
5. Metabolism; or
6. Cellular communication.

This can help researchers understand the possible biological effects associated with music exposure.

## **17. Role of Musicology**

Musicology is the scientific and scholarly study of music. A musicologist can describe the characteristics of the music used in an experiment. These characteristics may include:

1. Tempo;
2. Rhythm;
3. Melody;
4. Harmony;
5. Pitch;
6. Instruments;
7. Volume;
8. Repetition; and
9. Musical structure.

This is important because researchers cannot simply describe a stimulus as “music.” Different types of music may produce different psychological responses.

## **18. Forensic Musicology**

Forensic musicology applies musicological knowledge to legal and investigative questions. It may be used to study:

1. Musical similarity;
2. Copyright disputes;
3. Plagiarism claims;
4. Authorship;
5. Recordings;
6. Sampling;
7. Musical ownership; and
8. Prior musical material.

Computational methods can help forensic musicologists compare large numbers of musical works. However, the biological effects of music and forensic musicology are two different areas and should not be confused.

## **19. Connection between the Three Fields**

The three fields can work together to create an interdisciplinary research model. Musicology determines what the music contains, including its structure, rhythm, melody, and other musical characteristics. Forensic psychology examines how individuals perceive and respond to the music, particularly in relation to emotions, behaviour, memory, and psychological states. Molecular biology then investigates the biological responses associated with these psychological experiences, such as hormonal and cellular changes. Finally, bioinformatics analyses the large biological datasets generated through molecular studies to identify patterns and relationships. Overall, the complete research process can be understood as a sequence in which music influences hearing, which affects brain activity and subsequently contributes to changes in emotion and memory. These psychological responses may lead to stress or other physiological responses, followed by hormonal and cellular changes that can influence gene expression and epigenetic regulation. Bioinformatics can then be used to analyze the resulting biological data, providing a comprehensive understanding of how music may influence the human body and mind at multiple levels.

## **20. Possible Experiment**

A postgraduate research study could compare different music conditions. Participants could be divided into groups:

1. Group A: No music
2. Group B: Relaxing music
3. Group C: Fast/stimulating music
4. Group D: Personally preferred music

Researchers could measure psychological responses, physiological responses, and selected molecular markers.

## **21. Psychological Measurements**

Researchers could ask participants to complete questionnaires measuring:

1. Stress;

2. Anxiety;
3. Mood;
4. Relaxation;
5. Emotional response;
6. Music preference.

These measurements would help determine whether the participants actually experienced different psychological responses.

## **22. Biological Measurements**

Researchers could measure:

1. Heart rate;
2. Blood pressure;
3. Cortisol;
4. Heart-rate variability;
5. Selected inflammatory markers;
6. Gene expression;
7. DNA methylation.

This would allow researchers to compare psychological and biological responses.

## **23. Bioinformatics Analysis**

After collecting molecular data, bioinformatics can be used to compare the groups. For example: Control group versus Music group. Researchers could identify genes that show statistically significant differences. They could then determine which biological pathways are associated with those genes.

## **24. Role of Artificial Intelligence**

Artificial intelligence and machine learning may help identify patterns in large datasets. For example, a machine-learning model could investigate whether a combination of: musical features + psychological measurements + biological measurements can predict an individual's response to music. However, such models require large datasets and careful validation before they can be used reliably.

## **25. Possible Applications**

Research in this area may eventually contribute to:

1. Music therapy;
2. Stress management;
3. Mental-health research;
4. Neuroscience;
5. Personalized music interventions;
6. Cognitive research;
7. Molecular biology; and
8. Bioinformatics.

These applications require further scientific investigation.

## **26. Forensic Importance**

The forensic application of this research is currently limited. It would not be scientifically correct to say that a person's DNA can identify which song they listened to. However, the combined study of music, psychology, and biology may provide useful knowledge about human responses to auditory stimuli. Bioinformatics is already important in forensic genetics for analysing biological evidence. Therefore, the broader connection between music-related evidence and biological data may become an interesting area of future research.

## **27. Limitations**

There are several limitations. First, people respond differently to music. Second, gene expression can be affected by many factors other than music. Third, biological changes observed in blood or saliva may not represent what is happening in the brain. Fourth, a short-term change in gene expression does not necessarily mean that the person has experienced a permanent biological change. Finally, more research is required before music-associated gene or epigenetic changes can be considered reliable scientific markers.

## **28. Ethical Considerations**

Genetic and psychological information is highly sensitive. Researchers must protect participants' privacy and obtain appropriate informed consent. Participants should understand what biological samples are being collected and how the data will be used. Genomic information should be stored securely and should not be used for unrelated purposes without appropriate ethical and legal approval.

## **29. Future Research**

Future research should use larger groups of participants and carefully controlled musical stimuli. Researchers could investigate whether different musical features, such as tempo, rhythm, melody, and emotional content, produce different biological responses. Future studies could also combine: music + psychology + neuroscience + genomics + bioinformatics to understand the complete pathway from musical experience to biological response.

### 30. Conclusion

Music can influence human emotions, memory, stress, and physiological responses. These effects provide a possible pathway through which music may indirectly influence biological processes involved in gene regulation. However, music does not normally change the actual DNA sequence. The more accurate concept is that music may influence gene expression and possibly epigenetic regulation through psychological, neural, hormonal, and cellular pathways. Forensic psychology helps explain individual differences in emotional response, memory, perception, and behavior. Musicology helps describe and analyze the musical stimulus. Bioinformatics provides the computational methods required to analyze large amounts of molecular data. Therefore, the relationship can be summarized as: Music → Psychology → Physiology → Gene Regulation → Bioinformatics. This interdisciplinary approach provides an interesting and potentially valuable area for postgraduate research. However, more experimental evidence is required before specific gene-expression or epigenetic changes caused by music can be considered established or useful as forensic biomarkers.

### References

1. Adiasto, K., Beckers, D. G. J., van Hooff, M. L. M., Roelofs, K., & Geurts, S. A. E. (2022). Music listening and stress recovery in healthy individuals: A systematic review with meta-analysis of experimental studies. *PloS one*, 17(6), e0270031. <https://doi.org/10.1371/journal.pone.0270031>
2. Adolphs R. (2013). The biology of fear. *Current biology : CB*, 23(2), R79–R93. <https://doi.org/10.1016/j.cub.2012.11.055>
3. Arnold, C. A., Bagg, M. K., & Harvey, A. R. (2024). The psychophysiology of music-based interventions and the experience of pain. *Frontiers in psychology*, 15, 1361857. <https://doi.org/10.3389/fpsyg.2024.1361857>
4. Barbaresi, M., Nardo, D., & Fagioli, S. (2024). Physiological Entrainment: A Key Mind-Body Mechanism for Cognitive, Motor and Affective Functioning, and Well-Being. *Brain sciences*, 15(1), 3. <https://doi.org/10.3390/brainsci15010003>
5. Barnett, K. S., & Vasiiu, F. (2024). How the arts heal: a review of the neural mechanisms behind the therapeutic effects of creative arts on mental and physical health. *Frontiers in behavioral neuroscience*, 18, 1422361. <https://doi.org/10.3389/fnbeh.2024.1422361>

6. Bartel, L., & Mosabbir, A. (2021). Possible Mechanisms for the Effects of Sound Vibration on Human Health. *Healthcare (Basel, Switzerland)*, 9(5), 597. <https://doi.org/10.3390/healthcare9050597>
7. Blasco-Magraner, J. S., Bernabé-Valero, G., Marín-Liébaña, P., & Botella-Nicolás, A. M. (2023). Changing positive and negative affects through music experiences: a study with university students. *BMC psychology*, 11(1), 76. <https://doi.org/10.1186/s40359-023-01110-9>
8. Chen L. (2023). Influence of music on the hearing and mental health of adolescents and countermeasures. *Frontiers in neuroscience*, 17, 1236638. <https://doi.org/10.3389/fnins.2023.1236638>
9. Córdova, A., Caballero-García, A., Drobnic, F., Roche, E., & Noriega, D. C. (2023). Influence of Stress and Emotions in the Learning Process: The Example of COVID-19 on University Students: A Narrative Review. *Healthcare (Basel, Switzerland)*, 11(12), 1787. <https://doi.org/10.3390/healthcare11121787>
10. De Francesco, L., Schintu, S., Mazza, A., Ricci, R., & Dal Monte, O. (2025). What you listen to makes a difference: The impact of music on attention and well-being. *Annals of the New York Academy of Sciences*, 1552(1), 273–283. <https://doi.org/10.1111/nyas.70049>
11. Gómez-Carballa, A., Navarro, L., Mallah, N. E. Z., Bello, X., Pischedda, S., Viz-Lasheras, S., Currás, M. J., Ferreirós-Vidal, I., Mallah, N., Montoto-Louzao, J., Camino-Mera, A., Castelo-Martínez, L., Rey-Vázquez, S., Redondo, L., Dacosta-Urbiet, A., Rivero-Calle, I., Rodríguez-Tenreiro, C., Martínón-Torres, F., & Salas, A. (2025). Music elicits different gene expression responses in the buccal cavity of age-related cognitive disorders patients and healthy controls. *Frontiers in aging neuroscience*, 17, 1622816. <https://doi.org/10.3389/fnagi.2025.1622816>
12. Gómez-Carballa, A., Navarro, L., Pardo-Seco, J., Bello, X., Pischedda, S., Viz-Lasheras, S., Camino-Mera, A., Currás, M. J., Ferreirós, I., Mallah, N., Rey-Vázquez, S., Redondo, L., Dacosta-Urbiet, A., Caamaño-Viña, F., Rivero-Calle, I., Rodríguez-Tenreiro, C., Martínón-Torres, F., & Salas, A. (2023). Music compensates for altered gene expression in age-related cognitive disorders. *Scientific reports*, 13(1), 21259. <https://doi.org/10.1038/s41598-023-48094-5>
13. Johnson J. (2024). Effect of emotions on learning, memory, and disorders associated with the changes in expression levels: A narrative review. *Brain circulation*, 10(2), 134–144. [https://doi.org/10.4103/bc.bc\\_86\\_23](https://doi.org/10.4103/bc.bc_86_23)
14. Kaisler, R. E., Fede, M., Diltch, U., Probst, T., & Schaffler, Y. (2023). Common mental disorders in Gestalt therapy treatment: a multiple case study comparing patients with moderate and low integrated personality structures. *Frontiers in psychology*, 14, 1304726. <https://doi.org/10.3389/fpsyg.2023.1304726>

15. Kanduri, C., Raijas, P., Ahvenainen, M., Philips, A. K., Ukkola-Vuoti, L., Lähdesmäki, H., & Järvelä, I. (2015). The effect of listening to music on human transcriptome. *PeerJ*, 3, e830. <https://doi.org/10.7717/peerj.830>
16. Kearney, B. E., & Lanius, R. A. (2022). The brain-body disconnect: A somatic sensory basis for trauma-related disorders. *Frontiers in neuroscience*, 16, 1015749. <https://doi.org/10.3389/fnins.2022.1015749>
17. Kučikienė, D., & Praninskienė, R. (2018). The impact of music on the bioelectrical oscillations of the brain. *Acta medica Lituanica*, 25(2), 101–106. <https://doi.org/10.6001/actamedica.v25i2.3763>
18. Landis-Shack, N., Heinz, A. J., & Bonn-Miller, M. O. (2017). Music Therapy for Posttraumatic Stress in Adults: A Theoretical Review. *Psychomusicology*, 27(4), 334–342. <https://doi.org/10.1037/pmu0000192>
19. Masuo, Y., Satou, T., Takemoto, H., & Koike, K. (2021). Smell and Stress Response in the Brain: Review of the Connection between Chemistry and Neuropharmacology. *Molecules (Basel, Switzerland)*, 26(9), 2571. <https://doi.org/10.3390/molecules26092571>
20. Miendlarzewska, E. A., & Trost, W. J. (2014). How musical training affects cognitive development: rhythm, reward and other modulating variables. *Frontiers in neuroscience*, 7, 279. <https://doi.org/10.3389/fnins.2013.00279>
21. Movahed Abtahi, M., & Kerns, K. A. (2017). Attachment and emotion regulation in middle childhood: changes in affect and vagal tone during a social stress task. *Attachment & human development*, 19(3), 221–242. <https://doi.org/10.1080/14616734.2017.1291696>
22. Movalled, K., Sani, A., Nikniaz, L., & Ghojzadeh, M. (2023). The impact of sound stimulations during pregnancy on fetal learning: a systematic review. *BMC pediatrics*, 23(1), 183. <https://doi.org/10.1186/s12887-023-03990-7>
23. Muehsam, D., & Ventura, C. (2014). Life rhythm as a symphony of oscillatory patterns: electromagnetic energy and sound vibration modulates gene expression for biological signaling and healing. *Global advances in health and medicine*, 3(2), 40–55. <https://doi.org/10.7453/gahmj.2014.008>
24. Nair, P. S., Kuusi, T., Ahvenainen, M., Philips, A. K., & Järvelä, I. (2019). Music-performance regulates microRNAs in professional musicians. *PeerJ*, 7, e6660. <https://doi.org/10.7717/peerj.6660>
25. Noda, Y., & Noda, T. (2025). The Influence of Music on Mental Health Through Neuroplasticity: Mechanisms, Clinical Implications, and Contextual Perspectives. *Brain sciences*, 15(11), 1248. <https://doi.org/10.3390/brainsci15111248>
26. Olff, M., Hein, I., Amstadter, A. B., Armour, C., Skogbrott Birkeland, M., Bui, E., Cloitre, M., Ehlers, A., Ford, J. D., Greene, T., Hansen, M., Harnett, N. G., Kaminer, D., Lewis, C., Minelli, A., Niles, B., Nugent, N. R., Roberts, N., Price, M., Reffi, A. N., ... Vujanovic, A. A. (2025). The impact of trauma and how to intervene: a narrative review of psychotraumatology over the past 15 years. *European journal of psychotraumatology*, 16(1), 2458406. <https://doi.org/10.1080/20008066.2025.2458406>

27. Paller, K. A., Creery, J. D., & Schechtman, E. (2021). Memory and Sleep: How Sleep Cognition Can Change the Waking Mind for the Better. *Annual review of psychology*, 72, 123–150. <https://doi.org/10.1146/annurev-psych-010419-050815>
28. Pauwels, E. K., Volterrani, D., Mariani, G., & Kostkiewics, M. (2014). Mozart, music and medicine. *Medical principles and practice : international journal of the Kuwait University, Health Science Centre*, 23(5), 403–412. <https://doi.org/10.1159/000364873>
29. Peters, V., Bissonnette, J., Nadeau, D., Gauthier-Légaré, A., & Noël, M. A. (2024). The impact of musicking on emotion regulation: A systematic review and meta-analysis. *Psychology of music*, 52(5), 548–568. <https://doi.org/10.1177/03057356231212362>
30. Piccardi, L., Palmiero, M., & Nori, R. (2024). The Role of Sounds and Music in Emotion and Cognition. *Brain sciences*, 14(3), 192. <https://doi.org/10.3390/brainsci14030192>
31. Poćwierz-Marciniak, I., & Harciarek, M. (2021). The Effect of Musical Stimulation and Mother's Voice on the Early Development of Musical Abilities: A Neuropsychological Perspective. *International journal of environmental research and public health*, 18(16), 8467. <https://doi.org/10.3390/ijerph18168467>
32. Rehfeldt, R. A., Tyndall, I., & Belisle, J. (2021). Music as a Cultural Inheritance System: A Contextual-Behavioral Model of Symbolism, Meaning, and the Value of Music. *Behavior and social issues*, 30(1), 749–773. <https://doi.org/10.1007/s42822-021-00084-w>
33. Reybrouck, M., Podlipniak, P., & Welch, D. (2019). Music and Noise: Same or Different? What Our Body Tells Us. *Frontiers in psychology*, 10, 1153. <https://doi.org/10.3389/fpsyg.2019.01153>
34. Rossi, C., Oasi, O., & Colombo, B. (2024). Personality characteristics, music-listening, and well-being: a systematic and scoping review. *Research in psychotherapy (Milano)*, 27(1), 742. <https://doi.org/10.4081/ripppo.2024.742>
35. Sachs, M. E., Damasio, A., & Habibi, A. (2015). The pleasures of sad music: a systematic review. *Frontiers in human neuroscience*, 9, 404. <https://doi.org/10.3389/fnhum.2015.00404>
36. Schoeller, F., Jain, A., Pizzagalli, D. A., & Reggente, N. (2024). The neurobiology of aesthetic chills: How bodily sensations shape emotional experiences. *Cognitive, affective & behavioral neuroscience*, 24(4), 617–630. <https://doi.org/10.3758/s13415-024-01168-x>
37. T Zaatar, M., Alhakim, K., Enayeh, M., & Tamer, R. (2023). The transformative power of music: Insights into neuroplasticity, health, and disease. *Brain, behavior, & immunity - health*, 35, 100716. <https://doi.org/10.1016/j.bbih.2023.100716>
38. Taruffi, L., Pehrs, C., Skouras, S., & Koelsch, S. (2017). Effects of Sad and Happy Music on Mind-Wandering and the Default Mode Network. *Scientific reports*, 7(1), 14396. <https://doi.org/10.1038/s41598-017-14849-0>
39. Thoma, M. V., La Marca, R., Brönnimann, R., Finkel, L., Ehlert, U., & Nater, U. M. (2013). The effect of music on the human stress response. *PloS one*, 8(8), e70156. <https://doi.org/10.1371/journal.pone.0070156>

40. Toader, C., Tataru, C. P., Florian, I. A., Covache-Busuioc, R. A., Bratu, B. G., Glavan, L. A., Bordeianu, A., Dumitrascu, D. I., & Ciurea, A. V. (2023). Cognitive Crescendo: How Music Shapes the Brain's Structure and Function. *Brain sciences*, 13(10), 1390. <https://doi.org/10.3390/brainsci13101390>
41. Trasmundi, S. B., & Toro, J. (2023). Mind wandering in reading: An embodied approach. *Frontiers in human neuroscience*, 17, 1061437. <https://doi.org/10.3389/fnhum.2023.1061437>
42. Valenti, D., & Atlante, A. (2024). Sound Matrix Shaping of Living Matter: From Macrosystems to Cell Microenvironment, Where Mitochondria Act as Energy Portals in Detecting and Processing Sound Vibrations. *International journal of molecular sciences*, 25(13), 6841. <https://doi.org/10.3390/ijms25136841>
43. Wang, T., Zhao, Y., & Yin, M. (2022). Analysis and research on the influence of music on students' mental health under the background of deep learning. *Frontiers in psychology*, 13, 998451. <https://doi.org/10.3389/fpsyg.2022.998451>
44. Woods, B., Rai, H. K., Elliott, E., Aguirre, E., Orrell, M., & Spector, A. (2023). Cognitive stimulation to improve cognitive functioning in people with dementia. *The Cochrane database of systematic reviews*, 1(1), CD005562. <https://doi.org/10.1002/14651858.CD005562.pub3>